




RAFTER SYSTEM  
 PORTERSIPs SUPPORTED BY  
 RAFTERS SPANNING FROM  
 THE RIDGE BEAM TO THE  
 EAVE WALLS.



RIDGE BEAM SYSTEM  
 PORTERSIPs SUPPORTED BY  
 THE RIDGE BEAM AND  
 THE EAVE WALLS.



TRUSS SYSTEM  
 PORTERSIP SUPPORTED  
 BY ROOF TRUSSES.



LOAD BEARING WALLS SYSTEM  
 PORTERSIPs SUPPORTED BY  
 RAFTERS SPANNING FROM  
 THE RIDGE BEAM TO THE  
 EAVE WALLS.

ROOF FRAMING OPTIONS MUST BE CONFIRMED BY ENGINEER OF RECORD  
 BECAUSE EACH SYSTEM DISTRIBUTES GRAVITY AND LATERAL LOADS DIFFERENTLY.

ALL FASTENERS SHOWN ARE MINIMUM REQUIREMENTS AND MAY BE CHANGED BY THE ENGINEER OF RECORD TO MEET DESIGN REQUIREMENTS.

UNLESS OTHERWISE NOTED, ANY AND ALL LUMBER AND ENGINEERED LUMBER TO BE PROVIDED BY OTHERS.

CONSTRUCTION DETAILS MAY SHOW ITEMS THAT ARE NOT SUPPLIED BY PORTERCORP. FASTENING OF MATERIALS NOT SUPPLIED BY PORTERCORP IS THE RESPONSIBILITY OF THE INSTALLER. PLEASE CONTACT YOUR SALES REPRESENTATIVE IF YOU HAVE ANY QUESTIONS ABOUT YOUR ORDER.

SIP INSTALLER IS RESPONSIBLE FOR THE PROPER INSTALLATION OF PANELS. THIS IS AN ENGINEERED SYSTEM. FAILURE TO FOLLOW ALL CONSTRUCTION DETAILS AND INFORMATION IN FASTENER SCHEDULE WILL VOID THE PORTERSIP WARRANTY. PLEASE CONTACT PORTERCORP WITH ANY QUESTIONS.

SIP TAPE IS APPLIED TO THE PREDOMINANTLY WARM SIDE OF THE JOINT. INSIDE IN NORTHERN, COLDER CLIMATES; OUTSIDE IN SOUTHERN, WARMER CLIMATES.

**PORTERcorp**

Manufacturers of PorterSIPS®

4240 N. 136th Ave phone. 616.399.1963  
 Holland, MI 49424 fax. 616.928.0076

**R-15**

ROOF FRAMING OPTIONS

CONFIDENTIAL DRAWING INFORMATION CONTAINED HEREIN IS THE PROPERTY OF PORTERCORP. DRAWING IS NOT TO BE COPIED OR DISCLOSED TO OTHERS WITHOUT THE CONSENT OF PORTERCORP.